

GLIDING TRACK

The gentle product pusher system

GLIDING TRACK – GLIDE WITHIN SIGHT AND REACH

A HEAD START IN SALES

The visibility of products significantly influences consumers' purchasing decisions. Well-managed shelves make it easy for customers to find the right product and its appropriate price. Clear and well-structured shelf management is therefore essential for increasing impulse buying and consequently sales. At the same time, the time needed to tidy the shelves is reduced and the costs for shelf maintenance are lowered.

« Better product visibility increases sales. »

BENEFITS OF GLIDING TRACK

- Delivery of the gliding track ready for installation with front and end piece
- The elements can be strung together at any quantity
- Also available as per-finished gliding plate incl. shelf dividers
- Gliding tracks are available in standard shelf depths or special lengths
- Flexible compartmentation and optimal side guidance for your products
- Easy to clean plastic surface
- Universal use for front or back loading systems
- With unique sliding layer
- Low-noise pusher even with a slight incline

GLIDING TRACK – RANGES OF APPLICATION

GLASS BOTTLES


PET BOTTLES

PLASTIC PACKAGING

FOOD CANS

AEROSOLS

SLIPPERY PACKAGING OF ALL KINDS



GLIDING TRACK – ACCESSORIES

GLIDING TRACK WITH FRONT AND END PIECE

The 67 mm wide tracks can be stringed together at any quantity.

Material: plastic

Lengths: from 350 mm up to 650 mm in steps of 50 mm

Color: grey or black



WIRE DIVIDERS

For compartmentation and side guidance of your products. The dividers are clicked into the grooves of front and end piece.

Material: wire Ø 4 mm, galvanized

Height: 40 mm

Lengths: from 224 mm up to 573 mm in steps of 50 mm




ACRYLIC FRONT

For use with PRT-40-K profile rail or a with T-profile.

Height: 40 or 80 mm


Thickness: 3 mm (PRT-40-K)
5 mm (alu front rail)



PRT-40-K

T-profile rail with adhesive tape 38 mm to accommodate acrylic fronts with thickness of 3 mm.


Lengths: 998 or 1248 mm



PRAU-39-K

T-profile rail 39 mm with upward front edge and adhesive tape 25 mm, transparent.

Lengths: 998 or 1248 mm



we.promote.selling.



Brochure Gliding Track | V.1 | 01/2020
© Oechsle Display Systeme GmbH, 2020



Oechsle Display Systeme GmbH
Rudolf-Wanzl-Straße 13-15
89340 Leipheim, Germany

Phone : +49 8221 2798-0
Fax: +49 8221 2798-27

E-mail: info@oechsle.de
Web: www.oechsle.de